


AUTOMATION
for the **Packaging Industry**




ample

Graphics Pvt. Ltd.

LAMINATION



www.amplegraphics.in



FULLY INTELLIGENT HOT KNIFE FILM LAMINATING MACHINE



▼ **GFM1080MCRQ**

GFM1080MCRQ

- » Fully intelligent machine is equipped with all modern automation.
- » 26 servo motors for complete automation.
- » Equipped with double servo drives on hot knife produces better finish.
- » It can laminate at the speed of 100 meters per minute (depend on different substrates, requirements and specifications).
- » It can laminate from 320x300mm to 1080x1200mm sheets.
- » It can laminate sheets from 80 to 600 gsm.
- » Feeder pile height 1500mm
- » Stacker pile height 1500mm
- » Working speed Max. speed of 100m/min
- » Installed power 115kW 380V 50Hz 3p
- » Overall dimension 12320 × 4200 × 3920mm
- » Total weight 12000kgs





RFM-1080MCR



RFM-1080MCR

- » High Speed Automatic Lamination Machine with Hot Knife
- » Max. sheet size(Wx L)1080x1200mm
- » Min. sheet size(Wx L) 320x290mm
- » Sheet thickness range 80-600g/m²
- » Feeder pile height 1300mm
- » Stacker pile height 1300mm
- » Working speed Max. speed of 100m/min
- » Installed power 86kW (380V, 50Hz, 3p)
- » Overall dimension 12320 x 4200 x 3920mm
- » Total weight 12000kgs





FULLY AUTOMATIC DRY-LAMINATION MACHINE WITH CHAIN




▀ **LZFM-800**

LZFM Series

- » Ideal for use of BoPP, PET or MetPET Films
- » Automatic Feeder with Pre-pile. Side lay for aligned sheet feeding
- » Servo controller for precise overlap
- » Oil based heating system for low energy consumption
- » Individual temperature controller for drying chamber and laminating roller
- » Pneumatic control for film tension and Glue circulation. Magnetic Clutch to maintain continuous film tension.
- » Cutting blades are activated by sensor based encoder
- » Capable to handle 105-500gsm paper
- » Capable to laminate upto 6000sh per hour



▀ **LZFM 1080MC**



FULLY AUTOMATIC DRY-LAMINATION MACHINE WITH HOT KNIFE




KFM 1080MCRZ



Hot Knife Cutting



Delam Unit



Automatic paper feeder is driven by shaftless servo motor, front and rear positions of feeder can be adjusted automatically

KFM 1080MCRZ

- » High Speed Automatic Lamination Machine with Hot Knife
- » Ideal for MetPET production with Delam feature
- » UPS System for film tension control unit
- » Pre-pile and continuous delivery
- » Speed upto 100Mtr / min handling 105-500GSM papers
- » Powder Removing Device
- » Shaft for Strip Lamination
- » Equipped with Rotary Disc Knife for BOPP Film Separation
- » Feeder capable upto 11000 sheets per hour.
- » Installed Power: 81kw (Running Power 40kw)
- » Machine Dimensions 11200 x 2900 x 3100mm
- » Glue Memory Function (Optional)





FULLY AUTOMATIC DRY-LAMINATION MACHINE WITH HOT KNIFE



▼ **KFM 800 MC**

KFM 800 MC

- » Max. sheet size: W800×L1040mm
- » Min. sheet size: W250×L250mm
- » Suitable sheet thickness: 105-500 g/m²
- » Mechanical speed : 80 m/min, or 10,000 sheets/hour
- » Feeder pile height: 1170 mm
- » Installed power: 52kW
- » Actual production power consumption : 26-32kW/h
- » Overall dimensions: 9600×1650×2600mm



www.amplegraphics.in

CORPORATE OFFICE

A-11, Naraina Industrial Area,
Phase I, New Delhi - 110 028
M: +91-9899307625
E: sales@amplegraphics.in

SALES & MARKETING OFFICE

C-56/22, Sec-62, Noida Gautam
Budh Nagar, UP - 201309
M: +91-8882479490
E: info@amplegraphics.in

CUSTOMER CARE

M: +91-8384002135
E: customercare@amplegraphics.in